

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2667	(372/34,36).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/01/17 12:47
L2	214	l1 and (driver or driving adj2 circuit or controller) same laser adj2 (diode or chip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 12:48
L3	4	("4962057" "5479544" "5642371" "6377597").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/17 13:57
L4	9	l1 and (driver or driving adj2 circuit or controller) same laser adj2 (diode or chip) and conduct\$4 adj2 (pad or pattern)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 13:58
L5	178	(driver or driving adj2 circuit or controller) same laser adj2 (diode or chip) and conduct\$4 adj2 (pad or pattern)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 14:18
L6	2	("5159603" "5677924").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/17 14:18
L7	3704	(submount mount substrate bench base) with laser with (driver or driving)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/17 14:46
L8	14	(submount mount substrate bench base) with laser with (driver or driving) with recess\$2	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/17 14:49
L9	22	(submount mount substrate bench base) same laser with (driver or driving) with recess\$2	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/17 14:52
L10	32	(submount mount substrate bench base) same laser same (driver or driving) with recess\$2	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/17 14:52
L11	18	10 not 8	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/17 14:52
L12	318	(submount mount substrate bench base) same laser and (driver or driving) with recess\$2	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/17 14:54

EAST Search History

L13	286	12 not 10	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/17 14:54
L14	134	(submount mount substrate bench base) with laser adj2 (diode or chip) with recess\$2	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/17 15:20
L15	134	14 not 13	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/17 15:20
L18	86	laser same (conduction or conductive) adj2 (pad or pattern or line) same recess\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 15:56
L20	12	("20030043868" "20040081410" "4615031" "4769684" "5748658" "6049073" "6155724" "6301278" "6703561" "6773532" "6781727" "6841733").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/17 16:16
L21	5	("5559918" "5802228" "6422766" "6495382" "6632029").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/17 16:16
L22	28	("20030159280" "20030159844" "20030161026" "20030161133" "20030161363" "20030161593" "20030161603" "20030174454" "4019795" "4740977" "4818053" "4942076" "5029968" "5055652" "5479540" "5542018" "5638391" "5837561" "5847327" "5852257" "6081638" "6146025" "6191023" "6205274" "6219470" "6229227" "6249434" "6301279").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/17 16:17
L23	4	("5005178" "5022035" "5382758" "5706302").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/17 16:18
L24	13	("5706302").URPN.	USPAT	OR	ON	2008/01/17 16:18
L25	14	("5005178").URPN.	USPAT	OR	ON	2008/01/17 16:20
L26	638	(integrated adj2 circuit or printed adj2 circuit) same laser same driver	USPAT	OR	ON	2008/01/17 18:17
L27	8	("5500540" "5600130" "5907151" "5925898" "6005262" "6590152" "6922424" "6991381").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/17 18:21
L28	3	embedded adj2 driver same laser	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/17 18:33

EAST Search History

L29	1	("6404042").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/17 19:01
L33	8	("5291572" "5412748" "5608744" "5727104" "5754575" "5982803" "6084895" "6282350").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/17 19:40
L34	25	("5291572").URPN.	USPAT	OR	ON	2008/01/17 19:42
L35	25	("5291572").URPN.	USPAT	OR	ON	2008/01/17 19:47
L38	4	((("6567439") or ("6384442"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/01/17 20:12
L39	0	l38 and facet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 20:12
L40	2	l38 and laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/17 20:12

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S10 0	0	bias adj2 (inductance or inductor) same (conductive adj2 (glue or adhesive))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/01/14 16:22
S10 1	0	bias adj2 (inductance or inductor) near4 (conductive adj2 (glue or adhesive))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/01/14 17:20
S10 2	2	bias adj2 (inductance or inductor) near4 (upright or standing or vertical\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/01/14 17:21
S10 3	5	bias adj2 (inductance or inductor) with (upright or standing or vertical\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/01/14 17:22
S10 4	1362	(inductance or inductor) near4 (upright or standing or vertical\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/01/14 17:22
S10 5	122	(inductance or inductor) near4 (upright or standing or vertical\$2) and laser	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/01/14 17:29
S10 6	15	(inductance or inductor) near4 (upright or standing or vertical\$2) same laser	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/01/14 19:50
S10 7	107	S105 not S106	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/01/14 17:32
S10 8	2	bias adj2 (inductor or inductance) with (upright or orthogonal\$2 or veritcally or perpendicular\$2) same (submount or substrate or circuit or integrated)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/01/14 17:46
S10 9	1086	(inductor or inductance) with (upright or orthogonal\$2 or veritcally or perpendicular\$2) same (submount or substrate or circuit or integrated)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/01/14 17:46
S11 0	143	(inductor or inductance) with (upright or orthogonal\$2 or veritcally or perpendicular\$2) same (submount or substrate or circuit or integrated) and laser	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/01/14 17:46

EAST Search History

S11 1	122	(inductance or inductor) near4 (upright or standing or vertical\$2) and laser	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/01/14 17:46
S11 2	128	S110 not S111	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/01/14 17:47
S11 3	40	bias adj induct\$4 same (LED or diode)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/01/14 19:37
S11 4	157	(inductance or inductor) with RF same laser	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/01/14 20:06
S11 5	289	bonding adj2 wire same laser adj2 diode	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/01/14 20:07
S11 7	5	("3959765" "4686678" "5694048" "6404317" "6733190").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/14 20:31
S11 8	4	("4989930" "5566265" "5602672" "5781578").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/14 20:48
S11 9	4	("6567439").URPN.	USPAT	OR	ON	2008/01/14 20:49
S12 0	186	bonding adj2 wire with laser adj2 diode	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/01/15 12:38
S12 1	54	bonding adj2 wire with laser adj2 diode and wire with (inductance or inductor)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/01/15 13:05
S12 2	3	10/900397	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/01/15 13:06
S12 3	13	("20020018500" "20020167977" "20030113076" "20040028098" "20040037334" "20040179562" "20040208211" "20040247004" "20050013561" "5212699" "6618408" "6647039" "6868104"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/15 13:06

EAST Search History

S12 4	9	("20020167977" "20040037334" "20050105911" "20050242749" "5212699" "5706303" "6618408" "6920161" "7052189").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/15 13:13
S12 5	6	("20020168153" "20030214860" "20040037334" "20040090620" "20060083517" "6932518").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/15 13:49
S12 6	190	inductor same integrated adj2 circuit same laser	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/15 13:50
S12 7	8	("4254621" "4267559" "4834491" "4873566" "4912715" "4922822" "5005178" "6023481").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/15 13:54
S12 8	14	("5005178").URPN.	USPAT	OR	ON	2008/01/15 13:55
S12 9	1	("5623514").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/15 14:30
S13 0	1539	(inductor or inductance) with compact	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/15 14:31
S13 1	22	(inductor or inductance) with compact same laser	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/15 14:55
S13 2	110	high adj speed with (inductor or inductance) same laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/15 14:56
S13 3	247	(inductance or inductor) with (upright or perpendicular\$2 or orthogonal\$2 or vertical\$2) with (space or compact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/15 16:15
S13 4	2	"5734672".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/15 16:16
S13 5	129	laser with (inductor or inductance) same high adj2 speed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/15 16:17
S13 6	1	"6567439".pn. and inductor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/16 17:20

EAST Search History

S13 7	2	"5636235".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/15 16:21
S13 8	2	"6327287".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/15 16:53
S13 9	18	bias adj2 (inductor or inductance) same laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/15 16:57
S14 0	291	(inductor or inductance) same laser same RF	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/15 16:57

EAST Search History

S14 1	77	(US-20040120370-\$ or US-20040264973-\$ or US-20050025409-\$ or US-20040126066-\$ or US-20040038561-\$ or US-20040086010-\$ or US-20020064194-\$ or US-20020131731-\$ or US-20050226290-\$ or US-20040184494-\$ or US-20040131096-\$ or US-20030169789-\$ or US-20040264538-\$ or US-20030214987-\$ or US-20030128728-\$ or US-20030099266-\$ or US-20020085598-\$ or US-20020048295-\$ or US-20040114648-\$ or US-20040101006-\$ or US-20030231666-\$ or US-20030067949-\$ or US-20030058907-\$ or US-20030053499-\$ or US-20050047732-\$ or US-20040179562-\$).did. or (US-6614093-\$ or US-6712274-\$ or US-6527180-\$ or US-6409397-\$ or US-6805295-\$ or US-6567439-\$ or US-6186399-\$ or US-6102294-\$ or US-5966230-\$ or US-6715685-\$ or US-6702184-\$ or US-6798932-\$ or US-6327287-\$ or US-6233263-\$ or US-6611001-\$ or US-6301278-\$ or US-5694048-\$ or US-5602672-\$ or US-6618407-\$ or US-5781578-\$ or US-5005178-\$ or US-5881193-\$ or US-6876681-\$ or US-6872011-\$ or US-5436920-\$ or US-6676306-\$).did. or (US-6219364-\$ or US-6859470-\$ or US-6839367-\$ or US-6836490-\$ or US-6807208-\$ or US-6763047-\$ or US-6647039-\$ or US-6917638-\$ or US-6826211-\$ or US-6888860-\$ or US-6876683-\$ or US-6477190-\$ or US-5995525-\$ or US-6101202-\$ or US-4802178-\$ or US-4912715-\$ or US-6773532-\$ or US-6724800-\$ or US-5854867-\$ or US-6181718-\$ or US-7039083-\$ or US-6377125-\$ or US-6313003-\$ or US-6291872-\$).did. or (EP-1389812-\$).did.	US-PGPUB; USPAT; EPO	OR	ON	2008/01/15 17:34
----------	----	--	----------------------------	----	----	------------------

EAST Search History

S14 2	30	S141 and (inductor or inductance) and laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/15 19:11
S14 3	47	bias near4 (inductor or inductance) same (laser or LD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/15 19:24
S14 4	149	bias with (inductor or inductance) same (laser or LD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/15 19:36
S14 5	102	S144 not S143	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/15 19:24
S14 6	3698	(inductor or inductance) same (laser or LD) same circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/15 19:37
S14 7	1258	(inductor or inductance) with (laser or LD) same circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/15 19:44
S14 8	245	(inductor or inductance) with (laser or LD) same circuit and high adj2 speed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/15 19:44
S14 9	0	"6567439".pn. and smd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/16 17:31
S15 0	0	"6567439".pn. and surface adj2 mount\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/16 17:23
S15 1	281	(surface adj2 mount\$3 adj2 distribution or smd) with (inductor or inductance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/16 17:24

EAST Search History

S15 2	6	(surface adj2 mount\$3 adj2 distribution or smd) with (inductor or inductance) and laser adj2 diode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/16 17:25
S15 3	6	(surface adj2 mount\$3 adj2 distribution or smd) with (inductor or inductance) and laser adj2 (diode chip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/16 17:25
S15 4	2	"6567439".pn. and laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/16 17:31

EAST Search History

S15 5	78	(US-20040120370-\$ or US-20040264973-\$ or US-20050025409-\$ or US-20040126066-\$ or US-20040038561-\$ or US-20040086010-\$ or US-20020064194-\$ or US-20020131731-\$ or US-20050226290-\$ or US-20040184494-\$ or US-20040131096-\$ or US-20030169789-\$ or US-20040264538-\$ or US-20030214987-\$ or US-20030128728-\$ or US-20030099266-\$ or US-20020085598-\$ or US-20020048295-\$ or US-20040114648-\$ or US-20040101006-\$ or US-20030231666-\$ or US-20030067949-\$ or US-20030058907-\$ or US-20030053499-\$ or US-20050047732-\$ or US-20040179562-\$).did. or (US-6614093-\$ or US-6712274-\$ or US-6527180-\$ or US-6409397-\$ or US-6805295-\$ or US-6567439-\$ or US-6186399-\$ or US-6102294-\$ or US-5966230-\$ or US-6715685-\$ or US-6702184-\$ or US-6798932-\$ or US-6327287-\$ or US-6233263-\$ or US-6611001-\$ or US-6301278-\$ or US-5694048-\$ or US-5602672-\$ or US-6618407-\$ or US-5781578-\$ or US-5005178-\$ or US-5881193-\$ or US-6876681-\$ or US-6872011-\$ or US-5436920-\$ or US-6676306-\$).did. or (US-6219364-\$ or US-6859470-\$ or US-6839367-\$ or US-6836490-\$ or US-6807208-\$ or US-6763047-\$ or US-6647039-\$ or US-6917638-\$ or US-6826211-\$ or US-6888860-\$ or US-6876683-\$ or US-6477190-\$ or US-5995525-\$ or US-6101202-\$ or US-4802178-\$ or US-4912715-\$ or US-6773532-\$ or US-6724800-\$ or US-5854867-\$ or US-6181718-\$ or US-7039083-\$ or US-6377125-\$ or US-6313003-\$ or US-6291872-\$ or US-7217958-\$).did. or (EP-1389812-\$).did.	US-PGPUB; USPAT; EPO	OR	ON	2008/01/16 18:51
----------	----	--	----------------------------	----	----	------------------

EAST Search History

S15 6	22	S155 and (driver or driving adj2 circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/16 19:45
S15 7	12	("20030043868" "20040081410" "4615031" "4769684" "5748658" "6049073" "6155724" "6301278" "6703561" "6773532" "6781727" "6841733").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/16 19:41
S15 8	14	(driver or driving adj2 circuit) near4 recess same laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/16 19:48
S15 9	27	(driver or driving adj2 circuit) with recess same laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/16 19:48
S16 0	13	S159 not S158	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/16 19:48
S16 1	12	("20030043868" "20040081410" "4615031" "4769684" "5748658" "6049073" "6155724" "6301278" "6703561" "6773532" "6781727" "6841733").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/16 20:10
S16 2	6	("3987676" "4128697" "4375578" "4769684" "5212345" "5545846").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/16 20:11
S16 3	786	(372/38.02).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/01/16 20:14
S16 4	13	S163 and recess	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/16 20:11
S16 5	515	S163 and laser same (driver or driving adj2 circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/16 20:15